

Calderon, Wanda

From: Simon, Paul
Sent: Tuesday, January 12, 2016 10:49 AM
To: Pfeiffer, Justin (HEALTH)
Cc: Graber, Nathan (HEALTH); Zahnleuter, Richard (HEALTH; eugene.leff@dec.ny.gov; Crisafulli, Scott w (DEC); thomas.berkman@dec.ny.gov; Matthews, Joan; Evangelista, Pat; Carpenter, Angela; Maddaloni, Mark; Enck, Judith; Mugdan, Walter; Williamson, Anahita; LaPosta, Dore
Subject: RE: Hoosick Falls

Thanks again for your comments on EPA's draft FAQs. The final version has been posted on our Hoosick Falls web page, <http://www.epa.gov/aboutepa/hoosick-falls-water-contamination>.

From: Simon, Paul
Sent: Monday, January 11, 2016 3:48 PM
To: 'Pfeiffer, Justin (HEALTH)'
Subject: RE: Hoosick Falls

Thank you, Justin. We are adopting a number of your changes. We will send you the final version when issued.

From: Pfeiffer, Justin (HEALTH) [<mailto:justin.pfeiffer@health.ny.gov>]
Sent: Monday, January 11, 2016 12:30 PM
To: Simon, Paul <Simon.Paul@epa.gov>
Cc: Enck, Judith <Enck.Judith@epa.gov>; Matthews, Joan <Matthews.Joan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Maddaloni, Mark <Maddaloni.Mark@epa.gov>; Graber, Nathan (HEALTH) <nathan.graber@health.ny.gov>; Zahnleuter, Richard (HEALTH) <richard.zahnleuter@health.ny.gov>
Subject: RE: Hoosick Falls

Paul,

Thank you for the opportunity to review and comment on the FAQ. Please find attached combined DOH and DEC comments. You will note that DOH has several concerns relating to appropriate risk communication. I believe the comments are self-explanatory, but please let us know if EPA would like to discuss any of the points in further detail.

Justin

Justin D. Pfeiffer
Director, Bureau of House Counsel

New York State Department of Health
Corning Tower, Room 2482
Albany, NY 12237-0026
P: 518-473-3233
F: 518-473-2019

From: Simon, Paul [<mailto:Simon.Paul@epa.gov>]
Sent: Thursday, January 07, 2016 4:23 PM
To: Graber, Nathan (HEALTH) <nathan.graber@health.ny.gov>; Zahnleuter, Richard (HEALTH)

<richard.zahnleuter@health.ny.gov>; Pfeiffer, Justin (HEALTH) <justin.pfeiffer@health.ny.gov>

Cc: Enck.Judith@epa.gov; Matthews, Joan <Matthews.Joan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Maddaloni, Mark <Maddaloni.Mark@epa.gov>

Subject: Hoosick Falls

Nathan, Richard and Justin –

EPA has received a number of inquiries from citizens in Hoosick Falls regarding a variety of issues relating to the PFOA that is present in the drinking water and groundwater. In response, we have prepared the attached “Frequently Asked Questions” document. Could you please look it over and let me know by COB tomorrow if you have any factual corrections (not stylistic changes) to it? Thank you very much. Once it’s finalized, we plan to distribute the document at the January 14th public meeting in Hoosick Falls and put it on EPA’s Hoosick Falls web page.

Paul Simon
Deputy Regional Counsel
EPA Region 2
212-637-3152
Simon.paul@epa.gov